



Image

RF 1744

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Castellini, F.) Examiner: Beisner, W.H.
Serial No.: 10/004,591) Group Art Unit: 1744
Filed: 12/04/2001)
For: APPARATUS AND METHOD FOR)
DETECTING BIOFILM IN THE WATER)
CONDUITS OF DENTAL UNITS)
Attorney Docket No.: BUG 2 0150) Cleveland, Ohio
April 19, 2004

MAIL STOP AF

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT AFTER FINAL

Dear Sir:

Responsive to the final Office Action mailed November 17, 2003 and the Advisory Action mailed March 12, 2004, kindly enter the following amendments and remarks.

04/23/2004 HUUONG1 00000044 10004591

02 FC:2201

86.00 DP

CERTIFICATE OF FIRST CLASS MAILING - 37 CFR § 1.8

I hereby certify that this correspondence is being transmitted by first class mail with sufficient postage to: Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on:

Date

4/19/04

Steven M. Haas

Stm ~.16

*Do not
Enter
5/12/04
WLB*